

*Donahaye, E.J., Navarro, S., Bell, C., Jayas, D., Noyes, R., Phillips, T.W. [Eds.] (2007) Proc. Int. Conf. Controlled Atmosphere and Fumigation in Stored Products, Gold-Coast Australia. 8-13th August 2004. FTIC Ltd. Publishing, Israel. p. 619.*

## **BIOSECURITY APPLICATIONS OF ETHANEDINITRILE (C<sub>2</sub>N<sub>2</sub>) FUMIGATION**

**B.J. SMITH, AND R. REUSS**

*CSIRO, GPO Box 1700, Canberra, ACT, 2601, Australia  
E-mail: [Brendan.Smith@csiro.au](mailto:Brendan.Smith@csiro.au)*

### **ABSTRACT**

Ethanedinitrile (C<sub>2</sub>N<sub>2</sub>) has been developed and patented as fumigant by CSIRO. C<sub>2</sub>N<sub>2</sub> has the potential to replace methyl bromide in a number of applications. In a new project funded by Meat and Livestock Australia (MLA), CSIRO has been exploring the use of C<sub>2</sub>N<sub>2</sub> to render feed grain, exotic seeds and plant pathogens non-viable (devitalisation). Devitalisation with C<sub>2</sub>N<sub>2</sub> requires an understanding of how a number of technical factors, such as water activity, temperature, fumigation chamber material, variability in the response of different grain varieties and application method, affect fumigation. Initial research has focused on what dose is required to devitalise four target commodities; wheat, maize, sorghum and barley. Exotic weed seeds were then challenged with doses that affect commodities. Our research is also targeting the resilient propagules of several groups of pathogens which are considered potential quarantine risks to Australian Agriculture. Studies to date have shown that C<sub>2</sub>N<sub>2</sub> is more effective in devitalising grain than methyl bromide. The efficacy of C<sub>2</sub>N<sub>2</sub> is enhanced by higher water activity. While further work is needed to demonstrate successful application at a commercial scale, it is becoming clear that C<sub>2</sub>N<sub>2</sub> has the potential to replace methyl bromide in many biosecurity applications.